



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/580,557

05/26/2006

Benjamin Liu

42P22191

5968

45209

7590

08/13/2010

INTEL/BSTZ

BLAKELY SOKOLOFF TAYLOR & ZAFMAN LLP

1279 OAKMEAD PARKWAY

SUNNYVALE, CA 94085-4040

EXAMINER

WILLIS, JONATHAN U

ART UNIT

PAPER NUMBER

2441

MAIL DATE

DELIVERY MODE

08/13/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/580,557	Applicant(s) LIU, BENJAMIN	
	Examiner JONATHAN WILLIS	Art Unit 2441	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 June 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☐ Claim(s) _____ is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 May 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This Office Action is responsive to the Arguments/Remarks filed on 06/03/2010. No claims have been amended. Claims 14, 20, and 22 are cancelled. Claims 1-13, 15-19, 21, and 23-39 are pending reconsideration.

The 101 rejection is the only new rejection; and the following 102 and 103 rejections are presented for reference.

Claim Rejections - 35 USC § 101

2. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

3. Claims 6-10, 18-19, 21 and 23-25 are rejected under 35 U.S.C. 101 because the claimed invention is directed to nonstatutory subject matter.

The claims are drawn to a "tangible machine readable medium." The specification is silent regarding the meaning of this term. Thus, applying the broadest reasonable interpretation in light of the specification and taking into account the meaning of the words in their ordinary usage as they would be understood by one of ordinary skill in the art (MPEP §2111), the claim as a whole covers both transitory and non-transitory media. A transitory medium does not fall into any of the 4 categories of invention (process, machine, manufacture, or composition of matter).

Art Unit: 2441

To overcome this rejection, Examiner suggests changing "tangible machine readable medium" to "non transitory tangible machine readable medium, thus excluding that portion of the scope covering transitory signals. The scope of the disclosure given the state-of-the-art covers both transitory and non-transitory media, and this amendment would limit the claim to an eligible (non-transitory) embodiment.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. **Claim 1-3, 6-8, 11-12, and 18-19 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bantz (US2006/0107269) in view of US2004/0167996 A1 to Takamura et al. (hereinafter referred to as Takamura).**

6. In regard to claim 1, **Bantz** teaches a method for a client platform coupled to a server platform via a network (*see client coupled to server via network, in Fig. 3 [101] [104]*) comprising:

determining (e.g. "*recognized*," in **[0006] Line 3**) that an input/output operation (e.g. "*plugged in*," in **[0006] Lines 2-3**) related to an input/output device (e.g. "*devices local to the user to be 'plugged in', recognized*," in **[0006] Lines 2-3**) happens during

Art Unit: 2441

execution of an application on a virtual machine (e.g. *"devices local to the user to be plugged in", recognized, and made available to the user while executing on the remote virtual machine,"* in **[0006] Lines 2-4**),

requesting the server platform via the network to handle the input/output operation related to the input/output device (e.g. *"The virtual device hub senses that a device has been plugged into the hub in step 202, gathers the information about the device...The device information is used...to find out if support for that particular device exists on the server 101,"* in **[0027] – [0028]**), but

Bantz does not teach that

the virtual machine is run on the client platform; and

requesting the server platform via the network to handle the input/output operation related to the input/output device is through a client network interface of the client as claimed.

However, **Takamura** teaches

the virtual machine (see *guest operating system ran in client*, in **Fig. 2 [122]**, e.g. *"The startup processing 320 is called when the client computer 101 is started and it activates the hypervisor and the OS,"* in **[0045] Lines 4-6**) is run on the client platform (see *"Client Computer,"* in **Fig. 1 [101]**); and

requesting the server platform (see *"Server Computer,"* in **Fig. 1 [102]**) via the network (see *"Network,"* in **Fig. 1 [103]**) to handle an input/output operation related to an input/output device through a client network interface (see *"Network Interface Adaptor,"* in **Fig. 1 [902]**) of the client (e.g. *"hypervisor of the client computer...for*

Art Unit: 2441

detecting an access to an I/O device of the server computer...and...transmitting a command to the I/O device of the server computer....A hypervisor of the server computer...which receives the command to the I/O device from the network, and issues the command to the I/O device,” in [0010] Lines 4-14).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to add the feature of running a Virtual Machine Monitor (VMM)/Hypervisor in a client computer to detect I/O requests that need to be handled by the Hypervisor of a host systems, as disclosed in **Takamura**, into the teachings of **Bantz**, since both reference are directed toward I/O operations of virtual devices, hence would be considered to be analogous based on their related fields of endeavor.

One would be motivated to do so as it is well known and old that virtual machines are run locally on client machines as well as remotely on host machines, depending on the application requirements, and **Takamura** discloses the need for compatibility between Client/Server I/O operation where different Operating Systems are being utilized on their respective platforms (e.g. *“there is a problem that in a computer system comprising a server computer and a client computer, connected via a network, when an OS of the server computer and an OS of the client computer are different from each other, an I/O device connected to the server computer cannot be used from the client computer,” from Takamura in [0008]*), as **Bantz** is also concerned about compatibility of remote Virtual Machines running I/O devices in a Client/Server system (e.g. *“Normally, the virtual machine can only operate using devices that are local to that virtual machine itself, and the local user is forced to use only those devices that are*

Art Unit: 2441

currently installed on that virtual machine,” from Bantz in [0003]), and incorporating Takamura into Bantz could enhance Bantz by allowing client’s to use I/O devices that are not installed on a Virtual Machine being executed by a client (e.g. “to allow the client computer to use an I/O device connected to the server computer, without changing the operating systems on any of the server computer and the client computer, even when those operating systems are different from each other,” from Takamura in [0009]), by enabling non compatible I/O requests at remote locations.

7. In regard to claim 2, **Bantz-Takamura** teaches the method of claim 1, wherein the request (e.g. “*find out if support for that particular device exists on the server,*” **from Bantz in [0028] Lines 3-4**), comprises a server platform identifier to identify the server platform (*see inherent identification of server platform in connection of client to the server, from Bantz in Fig. 3 [101] [104]*).

8. In regard to claim 3, **Bantz-Takamura** teaches the method of claim 1, wherein the request (e.g. “*find out if support for that particular device exists on the server,*” **from Bantz in [0028] Lines 3-4**) comprises a device module identifier to identify a device module (e.g. “*gathers the information about the device such as the device model number and type, and sends that information to the virtual machine instance in server,*” **from Bantz in [0027] Lines 5-8**) from a plurality of device modules (*see inherent searching through multiple device drivers, e.g. “the device driver to be located,” from Bantz in [0006] Line 7*) in the server platform to handle the input/output operation

Art Unit: 2441

related to the input/output device (e.g. *"find out if support for that particular device exists on the server...If not, the virtual machine instance in the server initiates the installation of a physical device driver in the server,"* **from Bantz in [0028] Lines 3-6**), wherein the device module corresponds to the input/output device (e.g. *"information about the device such as the device model number and type,"* **from Bantz in [0027] Lines 5-8**).

9. Claims 6-8 are corresponding machine readable storage medium claims (see *"HDD,"* **in Fig. 1 [903] [913]**, e.g. *"In the HDD 903, there are stored an application program 121, an operating system 122, a hypervisor 123, and a boot loader 124,"* **from Takamura in [0028]**) of method claims 1-3; therefore, they are rejected under the same rational.

10. Claims 18-19 are corresponding machine readable storage medium claims (see *"HDD,"* **in Fig. 1 [903] [913]**, e.g. *"In the HDD 903, there are stored an application program 121, an operating system 122, a hypervisor 123, and a boot loader 124,"* **from Takamura in [0028]**) of method claims 11-12; therefore, they are rejected under the same rational.

11. Claim 32 recite limitations substantially the same as the limitations of claims 1 and 11; therefore, they are rejected under the same rational.

Art Unit: 2441

12. Claims 4-5, 9-10, 15-17, 23-31 and 35-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bantz-Takamura in view of US 4,860,190 to Kaneda et al. (hereinafter referred to as Kaneda).

13. In regard to claim 4, **Bantz-Takamura** teaches the method of claim 1, further comprising:

receiving a feedback for the input/output operation (e.g. *"the device to be detected locally,"* **from Bantz in [0006] Lines 6-8**) from the server platform through the network (see *installation as feedback, e.g. "downloaded, and installed to the virtual machine,"* **from Bantz in [0006] Lines 6-8**), but

Bantz-Takamura does not teach the feedback comprising a virtual machine identifier to identify the virtual machine in the client platform that is executing the input/output operation; and sending the feedback to the virtual machine identified by the virtual machine identifier as claimed.

However, **Kaneda** teaches the feedback comprising a virtual machine identifier (e.g. "receives the identification number," **in Col. 6, Line 1**) to identify the virtual machine in the client (e.g. *"computer system,"* **in Col. 1, Lines 63-65**) platform that is executing the input/output operation (e.g. *"computer system for controlling virtual machines, each machine given a different identification number,"* **in Col. 1, Lines 63-65**); and

sending the feedback to the virtual machine identified by the virtual machine identifier (e.g. *"to control the virtual machines and to decide which virtual*

Art Unit: 2441

machine will receive the control right of the CPU. The VM monitor assigns the identification numbers for the virtual machines,” in Col. 5, Lines 55-59).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to add the feature of multiple virtual machines with different identification numbers as disclosed in **Kaneda** into the teachings of **Bantz-Takamura** since all of the references are directed to virtual machine operating system environments, hence, would be considered to be analogous based on their related fields of endeavor.

One would be motivated to do so in order to specify which virtual machine running on the client is to receive feedback, as it should be obvious to one of ordinary skill in the art to recognize that some sort of identification is necessary when transferring data in a network to a particular endpoint that has a plurality of equivalent environments for that endpoint, as Takamura also discloses the use of multiple guest Operating Systems in as single computer platform (e.g. *“In an actual computer system, however, there are many cases that such an OS-based I/O device virtualization function is unusable. This is because the I/O device virtualization function is available only between identical operation systems, in many occasions, and further, a plurality of types of OS are mixed in one computer system in general,” from Takamura in [0007]*).

14. In regard to claim 5, **Bantz-Takamura** teaches the method of claim 1, and receiving instructions via the network (e.g. *“Mouse movements are tracked at the user's local machine and sent to the remote virtual machine via the network,” from Bantz in*

Art Unit: 2441

[0010] Lines 5-7), and a device module of the server platform (e.g. *"The device information is used to...find out if support for that particular device exists on the server,"* from **Bantz** in **[0027] Line 7 – [0028] Line 4**), but

Bantz-Takamura does not teach the method further comprising:

receiving an interrupt instruction issued by a device module, the interrupt instruction comprising a virtual machine identifier to identify a virtual machine to perform the interrupt instruction; and

Injecting the interrupt instruction into the virtual machine identified by the virtual machine identifier

However, **Kaneda** teaches the method further comprising:

receiving an interrupt instruction (e.g. *"if an interrupt request is in that port, an I/O interrupt for the VM monitor of the real machine will be generated,"* in **Col. 4, Lines 20-22**) issued by a device module (e.g. *"I/O interruption queue,"* in **Col. 4, Line 19**), the interrupt instruction comprising a virtual machine identifier (e.g. *"identification number,"* in **Col. 6, Line 1**) to identify a virtual machine to perform the interrupt instruction (e.g. *"By this handling routine...it is determined which virtual machine has issued the I/O instruction which caused the I/O interrupt,"* in **Col. 6, Lines 40-43**); and

Injecting the interrupt instruction (e.g. *"By this handling routine,"* in **Col. 6, Line 40**) into the virtual machine identified by the virtual machine identifier (e.g. *"By this handling routine...it is determined which virtual machine has issued the I/O instruction which caused the I/O interrupt,"* in **Col. 6, Lines 40-43**).

Art Unit: 2441

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to combine **Bantz-Takamura** with **Kaneda** for reasoning set forth above in claim 4.

15. Claims 9-10 are corresponding machine readable storage medium claims (see *"HDD," in Fig. 1 [903] [913], e.g. "In the HDD 903, there are stored an application program 121, an operating system 122, a hypervisor 123, and a boot loader 124," from Takamura in [0028]*) of method claims 4-5; therefore, they are rejected under the same rational.

16. In regard to claim 11, **Bantz** teaches a method for a server platform coupled to a client platform via a network (see *client coupled to server via network, in Fig. 3 [101] [104]*),

receiving, from the client platform via the network, a request for an input/output operation related to an input/output device (see *sending and receiving via network, in Fig. 1, e.g. "sends that information to the virtual machine instance in server...The device information is used to...find out if support for that particular device exists on the server," in [0027] Line 7 – [0028] Line 4*) by a server network interface of the server platform (see *output sent to client device through inherent server interface, e.g. "The output is then routed to the actual printer 103 through the network connection and the virtual device hub 102," in [0029] Lines 9-10*); and

identifying a device module (e.g. *“downloaded, and installed to the virtual machine,”* in **[0006] Lines 6-8**) from a plurality of devices modules in the server platform to handle the request (e.g. *“find out if support for that particular device exists on the server,”* in **[0027] Line 7 – [0028] Line 4**), the identified device module (e.g. *“downloaded, and installed to the virtual machine,”* in **[0006] Lines 6-8**) corresponding to the input/output device related to the input/output operation (e.g. *“the device to be detected locally, the device driver to be located, downloaded, and installed to the virtual machine,”* in **[0006] Lines 6-8**);

obtaining a result (e.g. *“recognized,”* in **[0006] Line 3**) for the input/output operation (e.g. *“the device to be detected locally,”* in **[0006] Lines 6-8**) from the identified device module (e.g. *“downloaded, and installed to the virtual machine,”* in **[0006] Lines 6-8**);

constructing a feedback with the result (see *installation as feedback*, e.g. *“downloaded, and installed to the virtual machine,”* in **[0006] Lines 6-8**); and

sending the feedback (see *installation as feedback*, e.g. *“downloaded, and installed to the virtual machine,”* in **[0006] Lines 6-8**) from the server platform to the client platform through the network (see *communication from server to client through network*, in **Fig. 1**), but

Bantz does not teach a virtual machine identifier to identify a virtual machine in the client platform that is executing an application when the input operation happens as claimed.

However, **Takamura** teaches

Art Unit: 2441

the virtual machine (see *guest operating system ran in client*, in **Fig. 2 [122]**, e.g. “*The startup processing 320 is called when the client computer 101 is started and it activates the hypervisor and the OS,*” in **[0045] Lines 4-6**) is run on the client platform (see “*Client Computer,*” in **Fig. 1 [101]**), and

Kaneda teaches a virtual machine identifier (e.g. “*identification number,*” in **Col. 1, Lines 63**) to identify a virtual machine in the client (e.g. “*computer system,*” in **Col. 1, Lines 63-65**) platform that is executing the input operation (e.g. “*computer system for controlling virtual machines, each machine given a different identification number,*” in **Col. 1, Lines 63-65**).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to add the feature of running a Virtual Machine Monitor (VMM)/Hypervisor in a client computer to detect I/O requests that need to be handled by the Hypervisor of a host systems, as disclosed in **Takamura** and virtual machine identification numbers as disclosed in **Kaneda**, into the teachings of **Bantz** since all of the references are directed to virtual machine operating system environments, Hence, would be considered to be analogous based on their related fields of endeavor.

One would be motivated to do so in order to specify which virtual machine running on the client is to receive feedback, as it should be obvious to one of ordinary skill in the art to recognize that some sort of identification is necessary when transferring data in a network to a particular endpoint that has a plurality of equivalent environments for that endpoint, and incorporating **Takamura** into **Bantz** could enhance **Bantz** by allowing client's to use I/O devices that are not installed on a Virtual Machine being

Art Unit: 2441

executed by a client (e.g. *"to allow the client computer to use an I/O device connected to the server computer, without changing the operating systems on any of the server computer and the client computer, even when those operating systems are different from each other,"* **from Takamura in [0009]**), by enabling non compatible I/O requests at remote locations.

17. In regard to claim 12, **Bantz-Takamura-Kaneda** teaches the method of claim 11, wherein the request (e.g. *"find out if support for that particular device exists on the server,"* **from Bantz in [0028] Lines 3-4**) comprises a device module identifier (e.g. *"gathers the information about the device such as the device model number and type, and sends that information to the virtual machine instance in server,"* **from Bantz in [0027] Lines 5-8**) to identify the device module in the server platform device (e.g. *"find out if support for that particular device exists on the server...If not, the virtual machine instance in the server initiates the installation of a physical device driver in the server,"* **from Bantz in [0028] Lines 3-6**).

18. In regard to claim 15, **Bantz-Takamura-Kaneda** teaches the method of claim 14, wherein the feedback (see *installation as feedback, e.g. "downloaded, and installed to the virtual machine,"* **from Bantz in [0006] Lines 6-8**) further comprise a client platform identifier to identify the client platform that has sent the request (see *inherent client identifier to install the device driver on the virtual machine, e.g. "downloaded, and installed to the virtual machine,"* **from Bantz in [0006] Lines 6-8**).

19. In regard to claim 16, **Bantz-Takamura-Kaneda** teaches the method of claim 11, further comprising issuing an interrupt instruction (e.g. *"if an interrupt request is in that port, an I/O interrupt for the VM monitor of the real machine will be generated,"* **from Kaneda in Col. 4, Lines 20-22**) from a device module (e.g. *"the device driver to be located,"* **from Bantz in [0006] Line 7**) of the plurality of device modules in the server platform (e.g. *"The device information is used to...find out if support for that particular device exists on the server,"* **from Bantz in [0027] Line 7 – [0028] Line 4**).

20. In regard to claim 17, **Bantz-Takamura-Kaneda** teaches the method of claim 11, wherein the interrupt instruction (e.g. *"an I/O interrupt,"* **from Kaneda in Col. 4, Lines 20-22**) further comprises a virtual machine identifier (e.g. *"identification number,"* **from Kaneda in Col. 1, Lines 63**) to identify a virtual machine in the client platform to handle the interrupt (e.g. *"By this handling routine...it is determined which virtual machine has issued the I/O instruction which caused the I/O interrupt,"* **from Kaneda in Col. 6, Lines 40-43**).

21. Claims 23-25 are corresponding machine readable storage medium claims (see *"HDD,"* **in Fig. 1 [903] [913]**, e.g. *"In the HDD 903, there are stored an application program 121, an operating system 122, a hypervisor 123, and a boot loader 124,"* **from Takamura in [0028]**) of method claims 15-17; therefore, they are rejected under the same rational.

22. In regard to claim 26, **Bantz** teaches a system, comprising
- a client platform (see *client platform*, in **Fig. 3 [104]**) comprising:
- determining (e.g. “*recognized*,” in **[0006] Line 3**) that an input/output operation related to a hardware device (e.g. “*plugged in*,” in **[0006] Lines 2-3**) happens in a virtual machine (e.g. “*the device to be detected locally, the device driver to be located, downloaded, and installed to the virtual machine*,” in **[0006] Lines 6-8**) and construct a request for the input/output operation (e.g. “*find out if support for that particular device exists on the server*,” in **[0028] Lines 3-4**);
- a client network interface (see *inherent communication interface to communicate with server*, in **Fig. 3 [101] [104]**) to send the request through a network (see *sending and receiving via network*, in **Fig. 1**); and the server platform (see *server platform*, in **Fig. 1 [101]**) comprising:
- a server network interface (see *inherent communication interface to communicate with client*, in **Fig. 3 [101] [104]**) to receive the request through the network (e.g. “*sends that information to the virtual machine instance in server...The device information is used to...find out if support for that particular device exists on the server*,” in **[0027] Line 7 – [0028] Line 4**);
- a plurality of device modules (e.g. “*the device driver to be located*,” in **[0006] Line 7**);
- a controller to identify a device module from the plurality of device modules (e.g. “*the device driver to be located*,” in **[0006] Line 7**) to handle the request (e.g. “*find out if*

Art Unit: 2441

support for that particular device exists on the server...If not, the virtual machine instance in the server initiates the installation of a physical device driver in the server,” in [0028] Lines 3-6), the identified device module corresponding to the input/output device related to the input/output operation e.g. “the device to be detected locally, the device driver to be located, downloaded, and installed to the virtual machine,” in [0006] Lines 6-8), but

Bantz does not teach

a virtual machine monitor to determine that an input/output operation related to the input/output device happens during execution of an application on a virtual machine of a plurality of virtual machines as claimed.

However, **Takamura** teaches

a virtual machine monitor (see “*Hypervisor*,” in **Fig. 2 [123]**) to determine that an input/output operation related to the input/output device happens (e.g. “*hypervisor of the client computer...for detecting an access to an I/O device of the server computer...and...transmitting a command to the I/O device of the server computer....A hypervisor of the server computer...which receives the command to the I/O device from the network, and issues the command to the I/O device,*” in **[0010] Lines 4-14**) during execution of an application (e.g. “*The application program 121 is a program including file reading 210 and file writing 360, and it carries out reading and writing from/to the I/O device 914, which is connected to the server computer 102,*” in **[0029] Lines 1-4**) on a virtual machine (see *guest operating system ran in client*, in **Fig. 2 [122]**, e.g. “*The*

Art Unit: 2441

startup processing 320 is called when the client computer 101 is started and it activates the hypervisor and the OS,” in [0045] Lines 4-6), and

Kaneda teaches

a plurality of virtual machines (e.g. *“virtual machines each given a different identification number,” from Abstract*).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to combine **Bantz-Takamura-Kaneda** for reasoning set forth above in claim 4.

23. In regard to claim 27, **Bantz-Takamura-Kaneda** teaches the system of claim 26, wherein the request (e.g. *“find out if support for that particular device exists on the server,” from Bantz in [0028] Lines 3-4*) further comprises a device module identifier to identifier the device module in the server platform (*see inherent identification of server platform in connection of client to the server, from Bantz in Fig. 1 [101] [104]*).

24. In regard to the system of claim 28, **Bantz-Takamura-Kaneda** teaches wherein the identified device module in the server platform is further to obtain a result (e.g. *“recognized,” from Bantz in [0006] Line 3*) for the input/output operation (e.g. *“the device to be detected locally,” from Bantz in [0006] Lines 6-8*), and construct a feedback with the result (*see installation as feedback, e.g. “downloaded, and installed to the virtual machine,” from Bantz in [0006] Lines 6-8*) and a virtual machine identifier (e.g. *“identification number,” from Kaneda in Col. 1, Line 63*) to identify the virtual

Art Unit: 2441

machine in the client platform (e.g. “*computer system*,” **in Col. 1, Lines 63-65**) under control from the controller (e.g. “*computer system for controlling virtual machines, each machine given a different identification number*,” **from Kaneda in Col. 1, Lines 63-65**),

and the server network interface (see *inherent communication interface to communicate with client*, **from Bantz in Fig. 1 [101] [104]**) is further to send the feedback to the client platform through the network (see *server sending the device driver through the network to the virtual machine on client*, **in Fig. 1**, e.g. “*downloaded, and installed to the virtual machine*,” **from Bantz in [0006] Lines 6-8**).

25. In regard to claim 29, **Bantz-Takamura-Kaneda** teaches the system of claim 26, wherein

the client network interface (see *inherent communication interface to communicate with server*, **from Bantz in Fig. 1 [101] [104]**) is further to receive a feedback for the input/output operation from the server platform through the network (see *server sending the device driver through the network to the virtual machine on client*, **in Fig. 1**, e.g. “*downloaded, and installed to the virtual machine*,” **from Bantz in [0006] Lines 6-8**); and

the virtual machine monitor (e.g. “*the VM monitor*,” **from Kaneda in Abstract**) is further to identify the virtual machine in the client platform that is executing the input/output operation (e.g. “*executes a program of the VM monitor...to transfer the control right of the CPU to one of the programs of the virtual machine regions...allocated for each virtual machine, so that one virtual machine may be*

Art Unit: 2441

operated,” from Kaneda in Col. 3, Lines 50-54) based upon the feedback and send the feedback to the identified virtual machine (*see installation as feedback, e.g. “downloaded, and installed to the virtual machine,” from Bantz in [0006] Lines 6-8).*

26. In regard to claim 30, **Bantz-Takamura-Kaneda** teaches the system of claim 26, wherein

a device module (*e.g. “the device driver to be located,” from Bantz in [0006] Line 7*) in the server platform (*e.g. “The device information is used to...find out if support for that particular device exists on the server,” from Bantz in [0027] Line 7 – [0028] Line 4*) is to issue an interrupt instruction under control from the controller (*e.g. “if an interrupt request is in that port, an I/O interrupt for the VM monitor of the real machine will be generated,” from Kaneda in Col. 4, Lines 20-22*), the interrupt instruction including a virtual machine identifier to identify another virtual machine in the client platform to handle the interrupt instruction (*e.g. “By this handling routine...it is determined which virtual machine has issued the I/O instruction which caused the I/O interrupt,” from Kaneda in Col. 6, Lines 40-43*); and

the server network interface (*see inherent communication interface to communicate with client, from Bantz in Fig. 1 [101] [104]*) is further to send the interrupt instruction (*e.g. “I/O interrupt” from Kaneda in Col. 4, Lines 20-21*) to the client platform through the network (*see connection from server to client, from Bantz in Fig. 1 [101] [104]*).

27. In regard to claim 31, **Bantz-Kaneda** teaches the system of claim 30, wherein the client network interface *see inherent communication interface to communicate with server, from Bantz in Fig. 1 [101] [104]*) is further to receive the interrupt instruction (*see connection from server to client, from Bantz in Fig. 1 [101] [104]*); and

the virtual machine monitor (*e.g. "the VM monitor," from Kaneda in Abstract*) is further to identify the another virtual machine (*e.g. "By this handling routine...it is determined which virtual machine has issued the I/O instruction which caused the I/O interrupt," from Kaneda in Col. 6, Lines 40-43*) from the plurality of virtual machines (*e.g. "virtual machines each given a different identification number," from Kaneda in Abstract*) based upon the interrupt instruction and inject (*e.g. "By this handling routine," in Col. 6, Line 40*) the interrupt into the identified another virtual machine (*e.g. "By this handling routine...it is determined which virtual machine has issued the I/O instruction which caused the I/O interrupt," from Kaneda in Col. 6, Lines 40-43*).

28. Claims 35-37 recite claims that contain substantially the same limitations of claims 14-16; therefore, they are rejected under the same rational.

29. In regard to claim 38, **Bantz-Takamura** teaches the method of claim 32, but **Bantz-Takamura** does not teach

Art Unit: 2441

wherein the interrupt instruction further comprising a virtual machine identifier to identify another virtual machine in the client machine to handle the interrupt instruction as claimed.

However, **Kaneda** teaches:

interrupt instruction (e.g. *"I/O interrupt"* in **Col. 4, Lines 20-21**) comprising a virtual machine identifier (e.g. *"identification number,"* in **Col. 6, Line 1**) to identify another virtual machine to perform the interrupt instruction (e.g. *"By this handling routine...it is determined which virtual machine has issued the I/O instruction which caused the I/O interrupt,"* in **Col. 6, Lines 40-43**).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to combine **Bantz-Takamura** with **Kaneda** for reasoning set forth above in claim 4.

30. In regard to claim 39, **Bantz-Takamura-Kaneda** teaches the method of claim 38, further comprising:

receiving an interrupt instruction (e.g. *"if an interrupt request is in that port, an I/O interrupt for the VM monitor of the real machine will be generated,"* from **Kaneda in Col. 4, Lines 20-22**) through the network by the client platform (e.g. *"recognized,"* from **Bantz in [0006] Line 3**)

identifying the another virtual machine in the client platform based upon the interrupt instruction (e.g. *"By this handling routine...it is determined which virtual*

Art Unit: 2441

machine has issued the I/O instruction which caused the I/O interrupt," from Kaneda in Col. 6, Lines 40-43); and

injecting the interrupt instruction (e.g. "By this handling routine," in Col. 6, Line 40) into the identified another virtual machine (e.g. "By this handling routine...it is determined which virtual machine has issued the I/O instruction which caused the I/O interrupt," from Kaneda in Col. 6, Lines 40-43).

31. Claims 13, 21, and 33-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bantz-Takamura in view of US 2005/0198303 A1 to Knauerhase et al. (hereinafter referred to as Knauer).

32. In regard to claim 13, **Bantz-Takamura** teaches the method of claim 11, but **Bantz-Takamura** does not teach
determining whether the identified device module is in another server platform;
and
sending the request from the server platform to the another server platform via the network, in response to determining that the identified device module is in the another server platform as claimed.

However, **Knauer** teaches determining (e.g. *"the server determines if a virtual machine already exists that offers the service," in Abstract*) whether the identified device module (e.g. *"service from the virtual machine," from Abstract*) is in another

Art Unit: 2441

server platform (see *plurality of servers hosting virtual machines*, in **Fig. 1 [125]**, e.g.

“server is coupled to carious other servers in server farm,” in **[0020] Lines 1-2**); and

sending the request from the server platform to the another server platform via the network (e.g. *“see servers coupled together through network,”* in **Fig. 1**), in

response to determining that the identified device module is in the another server

platform (e.g. *“the server determines if the requested service may be offered...the*

server switches, based on whether the requested service may be offered,” in **[0047]**

Lines 11-14).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the current invention to add the feature of determining an additional server to obtain a service for handling a request as disclosed in **Knauer**, into the teachings of **Bantz-Takamura**, since all of the references are directed to providing services to virtual machine operating system environments, hence, would be considered to be analogous based on their related fields of endeavor.

One would have been motivated to do so to add the additional benefit of having a backup server in case a primary server did not have the required software or was unable to fulfill a request in a desired way, as **Knauer** discloses the need for providing services to user's in different operating system environments (e.g. *“to offer other services requiring a different, incompatible hosting environment (e.g. different operating system or supporting environment software versions), the service provider has to configure another server with the other services...The invention addresses these problems and others in the art,”* from **Knauer** in **[0005] - [0006]**)

33. Claim 21 is a corresponding machine readable storage medium claim (see *"HDD," in Fig. 1 [903] [913], e.g. "In the HDD 903, there are stored an application program 121, an operating system 122, a hypervisor 123, and a boot loader 124," from Takamura in [0028]*) of method claim 13; therefore, it is rejected under the same rational.

34. Claims 33-34 recite claims that contain substantially the same limitations of claim 13; therefore, they are rejected under the same rational.

Response to Arguments

35. In the Arguments/Remarks Applicant's argued in substance that:

(A) The Office Action appears to rely on **paragraph 0006, lines 2-4** for the teachings of executing an application on the client platform, which the Applicants object because in **Bantz** the remote virtual machine is the virtual machine running on the server, rather than on the client platform. **(Page 3)**

As to Argument A, Examiner respectfully disagrees with applicants, as the Office Action only states that **Bantz** teaches determining that an input/output operation related to an input/output device (e.g. *"devices local to the user to be "plugged in",*

Art Unit: 2441

recognized," in [0006] Lines 2-3) happens during execution of an application on a virtual machine (e.g. "devices local to the user to be "plugged in", recognized, and made available to the user while executing on the remote virtual machine," in [0006] Lines 2-4), which is different than executing an application on the client platform, and was only intended to teach that a virtual machine was performing the execution.

(B) A skilled person starting from **Bantz** would not combine **Takamura** or vice versa because the teachings of the two references conflict and discredit one another, because **Bantz** does not perform any applications and the VM of **Bantz** can only operate using devices local or appearing to be local to the VM itself, while the client platform of **Takamura** runs the I/O applications and the VM of **Takamura** can use the I/O device remote to the VM itself (i.e., VM of the client platform uses the I/O device local to the server), and a prima facie case of obviousness cannot be established, because there is no suggestion or motivation to combine the reference teachings.

(Paged 4-5)

As to Argument B, Examiner respectfully disagrees with applicants noting that the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981),

Art Unit: 2441

and clearly one of ordinary skill in the art would recognize that **Bantz** could operate in a thin client or fat client system, thereby necessitating installation of unsupported drivers on a fat client from a remote server, because it is well known in the art that Virtual Machines are commonly run locally as well as remotely, depending on the processing and storage needs of a particular system (e.g. *"Normally, the virtual machine can only operate using devices that are local to that virtual machine itself, and the local user is forced to use only those devices that are currently installed on that virtual machine,"* from **Bantz** in [0003] Lines 1-4).

Examiner also notes that **Bantz** may be concerned with I/O devices local to a user, but local does not necessarily mean directly connected to a user's machine, and one of ordinary skill in the art would recognize that the virtual hub may be connected to a local network of a user, and **Bantz's** I/O devices are in actuality I/O devices of a Server computer, as it is the Server running the virtual machine and connected to the virtual hub, and making the actual local devices "appear" to be local (e.g. *"A virtual device hub 102 of the invention is connected to a network that is capable of accessing the virtual machine running in the remote server 101. The connection from the virtual device hub 102 may be directly to the network that connects to the server 101,"* from **Bantz** in [0026]); and **Takamura's** hypervisor performs similarly to **Bantz's** virtual device hub by allowing a client to handle a remote server's I/O devices are being used (e.g. *" , since the virtualization of the I/O device becomes possible by the hypervisor of the client computer, just by introducing the hypervisor to the client computer, it is possible to handle the I/O device as if it is connected to a client computer, even if it is*

Art Unit: 2441

actually connected to a server computer,” from Takamura in [0067]), thereby allowing the server's I/O devices to “appear” to be local, as local is broad terminology, and a local printer could be physically closer to a host server than the actual local device, depending on the arrangement of the network; therefore, one of ordinary skill in the art would be motivated to combine **Takamura** with **Bantz** to enhance **Bantz's** compatibility between a client/server relationship wherein a flat client implementation is being used.

(C) **Bantz** and **Takamura** are not analogous because they meet different needs under the conditions conflicting to each other and no analogue should be established therebetween. (Pages 5-6)

As to argument C, Examiner respectfully disagrees with Applicants. In response to applicant's argument that the combination of **Takamura** and **Bantz** is nonanalogous art, it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, clearly **Takamura** and **Bantz** are in the same field of endeavor, such as the virtualization of physical I/O devices (e.g. *“allowing an I/O device connected to a particular processor node to be accessed from even another processor node,” from Takamura in [0002]* and e.g. *“a system and method for virtualizing devices on a remote*

Art Unit: 2441

virtual machine and extending those devices to a user's physical location," from Bantz in [0001]).

(D) **Bantz** and **Takamura** are both concerned with compatibility, but the compatibility is under different conditions conflicting one another; therefore, one of ordinary skill in the art would not be motivated to combine them. (Page 6)

As to argument D, Examiner respectfully disagrees with Applicants, as one of ordinary skill in the art would recognize that **Bantz** could operate in a thin client or fat client system, thereby necessitating installation of unsupported drivers on a fat client from a remote server, because it is well known in the art that Virtual Machines are commonly run locally as well as remotely, depending on the processing and storage needs of a particular system (e.g. *"Normally, the virtual machine can only operate using devices that are local to that virtual machine itself, and the local user is forced to use only those devices that are currently installed on that virtual machine," from Bantz in [0003] Lines 1-4).*

Conclusion

36. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US 5,996,026 to Onodera et al.

Art Unit: 2441

US 6,418,464 B1 to Minow

US 2003/0090704 A1 to Hansen

US 2005/0076324 A1 to Lowell et al.

US 2003/0208642 A1 to Desai et al.

US 2005/0076155 A1 to Lowell

37. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JONATHAN WILLIS whose telephone number is (571)270-7467. The examiner can normally be reached on 8:00 A.M. - 6:00 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wing Chan can be reached on (571)272-7493. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JONATHAN WILLIS/
Examiner, Art Unit 2441
8/5/2010

/Wing F. Chan/
Supervisory Patent Examiner, Art Unit 2441